

A suspension concentrate contact insecticide with residual action for the control of bedbugs, fish moths, cockroaches, flies and mosquitoes in domestic and industrial premises and animal dwellings.

'n Suspensiekonsentraat kontak insekdoder met 'n nawerkende aksie vir die beheer van vismotte, kakkerlakke, muskiete, vlieë en weeluise in huishoudelike- en industriëlepersele en dierehokke.

Distributed by:

Makhro Home And Garden (Pty) Ltd

Reg. Nr. 2014 / 283523 / 07

18 Viben Street, Brackenfell 7560

Tel: (021) 981 4011



CAUTION
VERSIGTIG

Blue band

OO MAKHRO HOME AND GARDEN (PTY) LTD

BUNGY 15 SC

Reg. Nr. L7461 – Act 36 of 1947

N-AR 1157

IRAC INSECTICIDE GROUP CODES 3A IRAC INSEKDODERGROEPKODE

ACTIVE INGREDIENT / AKTIEWE BESTANDDEEL

Deltamethrin (pyrethroid)

15 g / l

Deltametrien (piretroïëd)

Registration Holder: ADAMA SOUTH AFRICA (PTY) LTD

Reg. No. 1992/001741/07. 21 Viben Street, Brackenfell 7560



Blou band

BUNGY 15 SC

L7461 – Act 36 of 1947 / N-AR 1157

IRAC INSECTICIDE GROUP CODE 3A

Aktiewe Bestanddeel: Deltamethrin (pyrethroid) 15 g/l



Office No: 021 981 4011

21 Viben Street, Brackenfell

Technical advise: 082 562 5330

Medical Emergency: 0861 555 777

WARNINGS:

- Handle with care.
- Harmful if swallowed, inhaled or absorbed through the skin.
- May cause irritation of the skin, eyes, mucous membranes and may cause skin sensitization.
- Toxic to fish, bees and wild life.
- Do not spray over food or feed or surfaces where food is prepared, eaten or stored.
- Store in a cool, dry place away from food and feed.
- Keep out of reach of children, uninformed persons and animals.
- Re-entry interval:** Do not allow humans or animals to come into contact with treated area before the spray has thoroughly dried.
- Do not use as a space treatment.

Although this remedy has been extensively tested under a large variety of conditions, the registration holder does not warrant that it will be efficacious under all conditions because the action and effect thereof may be affected by factors such as abnormal soil, climatic and storage conditions; quality of dilution water, compatibility with other substances not indicated on the label and the occurrence of resistance of the disease against the remedy concerned as well as by the method, time and accuracy of application. The registration holder furthermore does not accept responsibility for damage to crops, vegetation, the environment or harm to man or animal or for lack of performance of the remedy concerned due to failure of the user to follow the label instructions or to the occurrence of conditions which could not have been foreseen in terms of the registration. Consult the supplier in the event of any uncertainty.

PRECAUTIONS:

- Do not use in the presence of persons with known sensitivity to pyrethroids. In the case of signs of sensitivity, obtain medical advice.
- Do not eat, drink or smoke while handling this product or before washing hands and face and changing clothing.
- Prevent contamination of food, feed, drinking water and eating utensils.
- Wear rubber gloves and a face shield when handling the concentrate and during application. If you get it in your eyes flush it out at once. If you get it on your skin wash it off immediately. If you spill it on your clothes, take it off immediately and wash it.
- Cover fish tanks and remove all pets from the area to be treated.
- Do not spray over electrical equipment, sockets, switches or electrical motors.
- Do not touch or walk over treated areas before spray is completely dry.
- Empty the container over the spray tank and allow to drain for at least 30 seconds after the flow has slowed down to a drip. Rinse the container three times with a volume of water of at least 10% of that of the container. Add the rinsings to the spray tank before destroying the empty container by perforating and flattening.
- Never use the empty container for any other purpose.

Resistance warning:

For resistance management, **BUNGY 15 SC** is a group code 3 insecticide. Any insect population may contain individuals naturally resistant to **BUNGY 15 SC** and other group code 3 insecticides. The resistant individuals can eventually dominate the insect population if these insecticides are used repeatedly. These resistant insects may not be controlled by **BUNGY 15 SC** or any other group code 3 insecticide.

To delay insecticide resistance:

- Avoid exclusive repeated use of insecticides from the same insecticide group code. Alternate or tank mix with products from different insecticide group codes.
- Integrate the control methods (chemical, cultural, biological) into insect control programmes.

For specific information on resistance management contact the registration holder of this product.

DIRECTIONS FOR USE:

Use only as indicated.

BUNGY 15 SC can be used indoors as well as outdoors for a variety of insects as indicated.

Mixing instructions:

Shake the concentrate well before use. Half fill the applicator with water. Add the required volume of **BUNGY 15 SC** to the applicator while agitating. Fill the applicator with water to the required mark while agitating continuously.

Application:

BUNGY 15 SC can be applied by any suitable sprayer which is able to distribute the spray mixture evenly and effectively over the target area.

APPLICATION RATES:

PEST	DOSAGE	REMARKS
Bedbugs, cockroaches and fish moths	80 ml / 5 l water	Apply as a coarse spray at the rate of 100 ml spray mixture / m ² or 5 l spray mixture / 100 m ² or apply to just before the point of run off which will vary with the nature of surface being treated. Treat skirtings, walls, cupboards, around electrical appliances or wherever insects are seen. Pay special attention to cracks and crevices.
House flies	80 ml / 5 l water	Apply in and around animal housing. Ensure that the spray does not come into contact with the animals. Apply 5 l spray mixture as a coarse spray / 100 m ² or apply to just before the point of run off which will depend on the nature of the surface being treated. Since outside surfaces are more exposed to climatic conditions, the residual action might be shorter than inside.
Mosquitoes	80 ml / 5 l water	Apply as a coarse spray on walls and ceilings. Ensure that a thorough wetting of surfaces like concrete or mud is obtained.

BUNGY 15 SC

L7461 – Wet 36 van 1947 / N-AR 1157

IRAC INSEKDODERGROEKODE 3A

Deltametriën (piretroïed) 15 g/l



Kantoor Nr: 021 981 4011

Vibenstraat 21, Brackenfell

Tegniese advies: 082 562 5330

Mediese nood: 0861 555 777

WAARSKUWINGS:

- Hanteer versigtig.
- Skadelik indien ingesluk, ingesem of deur die vel geabsorbeer word.
- Mag irritasie van die vel, oë en slymviese asook velsensitisering veroorsaak.
- Giftig vir visse, bye en wild.
- Moet nie toedien oor voedsel, voer of oppervlakte waar voedsel voorberei, geëet of gestoor word nie.
- Berg in 'n koel droë plek weg van voedsel en voer.
- Hou buite bereik van kinders, oningesigte persone en diere.
- **Herbetredingsinterval:** Moet nie toelaat dat mense of diere in aanraking kom met die behandelde gebiede voordat die sputneerslag heeltemal droog geword het nie.
- Moet nie as 'n ruimtespuistof gebruik nie.

Alhoewel hierdie middel omvattend onder 'n groot verskeidenheid toestande getoets is, waarborg die registrasiehouer nie dat dit onder alle toestande doeltreffend sal wees nie aangesien die werking en effek daarvan beïnvloed kan word deur faktore soos abnormale klimaats- en bergingstoestande; kwaliteit van verdunningswater, verenigbaarheid met ander stowwe wat nie op die etiket aangedui is nie en die voorkoms van weerstand van die siekte teen die betrokke middel, sowel as die metode, tyd en akkuraatteid van toediening. Verder aanvaar die registrasiehouer nie verantwoordelikheid vir skade aan gewasse, plantegroei, die omgewing of vir nadelige effek op mens of dier of vir die gebrek aan prestasie van die betrokke middel as gevolg van die versuum van die gebruiker om tiketaanwysings na te kom of as gevolg van die ontstaan van toestande wat nie kragtens die registrasie voorsien kon word nie. Raadpleeg die verskaffer in die geval van enige onsekerheid.

VOORSORGMAATREËLS:

- Moet nie in die teenwoordigheid van persone wat sensitief is vir piretroïede gebruik nie. In geval van tekens van sensitiviteit, kry mediese hulp.
- Moet nie eet, drink of rook terwyl die produk hanteer word of voordat hande en gesig gewas en skoon klere aangetrek is nie.
- Voorkom besoedeling van voedsel, voer, drinkwater en eetgerei.
- Dra rubberhandskoene en gesigskerm wanneer die konseptraat hanteer word en tydens toediening. As dit in die oë kom, spoel dit onmiddellik met water uit. Indien dit op die vel beland, was dit onmiddellik af. Indien dit op klere gemors word, moet die klere onmiddellik uitgetrek en gewas word.
- Bedek vistenks en verwyder alle troeteldiere uit die gebied wat behandel gaan word.
- Moet nie oor elektriese toestelle, muurproppe, skakelaars of elektriese motors toedien nie.
- Moet nie behandelde oppervlakte aanraak of daaroor loop voordat die spuitstof heeltemal droog is nie.
- Maak die houer oor die spuitken leeg en laat dit vir minstens 30 sekondes dreineer nadat die vloeistof tot 'n gedrup verander het. Spoel daarna die houer driekker uit met 'n volume water gelykstaande aan minstens 10% van die van die houer.
- Vernietig die leë houer deur gate daarin te maak en plat te druk en moet dit vir geen ander doel gebruik nie.

Weerstandswaarskuwing:

BUNGY 15 SC is 'n groepkode 3 insekdoder. Enige populasie van 'n spesifieke insek mag individue insluit wat 'n natuurlike weerstand teen **BUNGY 15 SC** of enige ander groepkode 3 insekdoders het. Indien hierdie insekdoders herhaaldelik aangewend word, kan die weerstandbiedende individue uiteindelik die insekpopulasie oorheers. Hierdie weerstandbiedende insekte sal waarskynlik nie deur **BUNGY 15 SC** of enige ander groepkode 3 insekdoder beheer word nie.

Om weerstand teen insekdoders te vertraag:

- Verminder die eksklusiewe herhaaldelike gebruik van insekdoders met dieselfde groepkode. Wissel af met, of gebruik tenkmengsels van produkte in verskillende insekdodergroepkodes.
- Integreer ander beheermaatreëls (chemies, verbouing, biologies) in insekdoderprogramme.

Vir spesifieke inligting oor weerstandsbestuur kontak die registrasiehouer van hierdie produk.

GEBRUIKSAANWYSINGS:

Gebruik slegs soos aangedui.

BUNGY 15 SC kan binnenshuis sowel as buitenshuis gebruik word vir die beheer van verskeie insekte soos hieronder aangedui.

Menginstruksies:

Skud die houer goed voor gebruik. Maak die spuitken halfvol met water en voeg die benodigde hoeveelheid **BUNGY 15 SC** by terwyl die mengsel geroer word. Vul die tenk verder met water tot op die verlangde merk terwyl aanhoudend geroer word.

Toediening:

BUNGY 15 SC kan met enige geskikte sputtapparaat wat in staat is om die spuitmengsel eweredig en doeltreffend op die teikenoppervlak te versprei, toedien word.

TOEDIENINGSHOEVEELHEDE:

PLAAG	DOSIS	OPMERKINGS
Kakkerlakke, Vismotte en Weeluisse	80 ml / 5 l water	Dien toe as 'n growwe druppelbespuiting teen 100 ml spuitmengsel / m ² of 5 l spuitmengsel / 100 m ² of dien toe tot net voor die punt van afloop wat sal wissel met die aard van die oppervlak wat behandel word. Behandel vloerlyste, mure, kaste, rondom elektriese toestelle of waar insekte opgemerk word. Skenk spesiale aandag aan barste en skeure.
Huisvlieë	80 ml / 5 l water	Dien binne en buite dierehokke toe. Verseker dat die spuitmengsel nie in kontak met die diere kom nie. Dien 5 l van die spuitmengsel as 'n growwe druppelbespuiting / 100 m ² toe of dien toe tot net voor die punt van afloop, wat sal wissel met die tipe oppervlak wat behandel word. Aangesien oppervlakte buite meer onderworpe is aan klimaatstoestande mag die nawerking buitenshuis nie so lank wees as binnenshuis nie.
Muskiete	80 ml / 5 l water	Dien as 'n growwe druppelbespuiting toe op mure en plafonne. Verseker dat die benetting van poreuse oppervlakte soos beton of modder voldoende is.