

## **THE GROWING FORCE**

Makhroroot™ No.2 is a specifically formulated hormone powder, that naturally facilitates the rapid stimulation of semi-hardwood cuttings for fast and prolific rooting.

Registration Holder and Distributed by:  
**Makhro Home And Garden (Pty) Ltd**  
Reg. No. 2014 / 283523 / 07  
18 Viben Street, Brackenfell 7560  
Tel: (021) 981 4011



# **MAKHRO ROOT 2**

## **ROOTING HORMONE POWDER**

### **STIMULATION OF SEMI-HARDWOOD CUTTINGS**

*Dry powder*

Reg. Nr. L10270 – Act 36 of 1947 / N-AR 1827

**GROUPCODE B2 GROEPKODE**

**AKTIVE INGREDIENT / AKTIEWE BESTANDDEEL**  
4-Indole-3 Butyric Acid.... 3 g/kg ....4-Ondolie-3 Bottersuur

**Caution: Keep out of reach of children. Read all the instructions before use.**



**NON-HAZARDOUS**



# MAKHRO ROOT No. 2

L10270 - Act 36 of 1947

GROUPCODE B2

Active Ingredient: 4-Indole-3 Butyric Acid 3 g / kg

Registration Holder: Makhrro Home and Garden (Pty) Ltd (2014/283523/07)



Office No: 021 981 4011

21 Viben Street, Brackenfell

Technical advise: 082 562 5330

Medical Emergency: 0861 555 777

**MAKHRO ROOT No. 2 is a Hormone Powder to be used on semi-hardwood cuttings to stimulate fast and prolific rootings.**

## NOTES:

- As soon as the plant-cutting is dipped in the powder, the auxin is absorbed, resulting in the rapid stimulation of root-forming.
- Over stimulation may injure the cutting, as where under stimulation may not give satisfactory result.
- Lateral shoots of the current year's growth are the best. Each specie however determines its own method of propagation. The cutting must preferably be cut at a node and cleaned from lower leaves. Moisten the lower part of the cutting and dip the bottom 10-15 mm in the powder. Shake off excess powder and plant the cutting in the right medium.

## DISCLAIMER

Although MAKHROROOT No. 2 has intensively been tested under various conditions, the Registration Holder does not guarantee that the product will be efficacious under all conditions, since all factors such as climate, incompatibility with other substances used, not indicated on the label, growing medium, temperature and storage conditions are all influential to the efficacy and end results. The Registration holder will also not be held accountable for any damage to crops, environment damage, or harm to man or animals, or for lack of performance of the product due to failure of the user to comply with the instructions, as indicated on the label or to the occurrence of conditions which could not have been foreseen in terms of the registration. Should there be any uncertainty, consult the supplier.

## WARNINGS:

- Store in a cool place, away from food and feed.
- Keep out of reach of children, uninformed persons and animals.

## PRECAUTIONS:

- Avoid contact with eyes, rinse immediately with water, should contact occur.
- Prevent contamination of food, drinking water or eating utensils.
- Do not inhale the dust.
- Perforate and flatten the empty container. Do not re-use for any other purpose.

## FIRST AID TREATMENT:

**Eye contact:** Rinse eyes immediately with plenty of clean water, occasionally lifting the upper and lower eyelids for 10-15 minutes.

**Ingestion:** Wash mouth with water. Give 2-4 cups of milk. Keep patient as rest. If required, obtain medical aid.

**Skin:** Remove contaminated clothing. Wash with soap and water. If required, obtain medical aid.

**Advise to physician:** Nonspecific antidote known, symptom and support treatment. Give summary of symptoms/product info to physician.

## SOME PLANTS THAT CAN BE TREATED WITH MAKHROROOT No. 2

(Please note plants that may be treated with MAKHROROOT No. 2 are not limited to the below.)

Abelia	Cuphea	Photinia
Azalea	Deutzia	Plumbago
Acalypha	Euonymus	Pyrus
Ampelopsis	Forsythia	Roses
Akebla	Fuchsia	Spiraea
Berberis	Gardenia	Streptosolum
Calicarpa	Geranium	Viburnum
Carnations	Helanthemum	
Ceanothus	Heliotrope	
Chrysanthemum	Jasminum	
Chaenomeles	Lavendula	
Cistus	Magnolia	
Clemathus	Nerium	

# MAKHRO ROOT Nr. 2

L10270 - Wet 36 van 1947

GROEPKODE B2

Aktiewe Bestanddeel: 4-Ondoliel-3 Bottersuur 3 g / kg

Registrasiehouer: Makhro Home and Garden (Pty) Ltd (2014/283523/07)



Kantoor Nr: 021 981 4011

Vibenstraat 21, Brackenfell

Tegniese advies: 082 562 5330

Mediese nood: 0861 555 777

**MAKHRO ROOT Nr. 2 is 'n hormoonpoeier wat op semi-hardehoutsteggies gebruik word om vinnige en produktiewe wortels te stimuleer.**

## NOTAS:

- Sodra die plant steggie in die poeier gedoop word, word die auxien geabsorbeer, wat die vinnige stimulering van wortelvorming tot gevolg het.
- Oor-stimulasie kan die steggie beseer, waar onder-stimulasie nie bevredigende resultate kan gee nie.
- Laterale late van die huidige jaar se groei is die beste. Elke spesie bepaal egter sy eie metode van voortplanting. Die steggie moet verkieslik by 'n knoop gesny word en van laer blare skoongemaak word. Vog die onderste gedeelte van die steggie en doop die bodem 10-15 mm in die poeier. Skud oortollige poeier af en plant die steggie in die regte medium.

## VRYWARING

Alhoewel MAKHRO ROOT Nr. 2 intensief onder verskillende toestande getoets is, waarborg die Registrasiehouer nie dat die produk onder alle toestande doeltreffend sal wees nie, aangesien alle faktore soos klimaat, onverenigbaarheid met ander stowwe wat gebruik word, wat nie op die etiket aangedui word nie. Temperatuur en bergingstoestande is almal invloedryk op die doeltreffendheid en eindresultate. Die Registrasiehouer sal ook nie aanspreeklik gehou word vir enige skade aan gewasse, omgewingsbeskadiging of skade aan die mens of diere of vir die gebrek aan prestasie van die produk as gevolg van die versuum van die gebruiker om aan die instruksies te voldoen soos aangedui op die etiket of aan die vooraks van voorwaarde wat nie ingevolge deur die Registrasiehouer kon voorsien word nie. Indien daar enige onsekerheid is, raadpleeg die verskaffer.

## WAARSKUWINGS:

- Berg in 'n koel plek weg van voedsel en voer.
- Hou buite bereik van kinders, oningesigte persone en diere.

## VOORSORGMAATREËLS:

- Vermy kontak met die oë, spoel dadelik met water, indien kontak plaasvind.
- Vorkom besoedeling van voedsel, drinkwater of eetgerei.
- Moenie die stof inasem nie.
- Perforeer die leë houer en druk dit plat. Moet dit vir geen ander doel hergebruik nie.

## NOODHULPBEHANDELING:

**Oogkontak:** Spoel die oë onmiddellik met baie skoon water af, en lig die boonste en onderste oogledle af en toe vir 10-15 minute.

**Inslikking:** Was mond met water. Gee 2-4 koppies melk. Hou pasiënt rustig. Indien nodig, kry mediese hulp.

**Vel:** Verwyder besoedelde klere. Was met seep en water. Indien nodig, kry mediese hulp.

**Advies aan dokter:** Nie-spesifieke teenmiddel bekend, simptoom- en ondersteuningsbehandeling. Gee opsomming van simptome / produkinligting aan die dokter.

## SEKERE PLANTE WAT MET MAKHRO ROOT Nr. 2 KAN BEHANDEL WORD

(Let asseblief daarop dat plante wat met MAKHRO ROOT Nr. 2 behandel kan word, nie tot die lys / tabel beperk word nie.)

Sien lys / tabel onder Engelse vertaling.